

MODEL	Manufacturing year	Engine	Horsepower	Displacement [L]	Fuel capacity [L]	Drive system	Gear selection [F/R]	Max travelling speed [km/h]
L1500 (DT)	1971-1975	2 cylinder, 4-cycle, diesel	15ps/2800rpm	0.743	22	2WD/4WD	8/2	F/0.82-14.40 R/0.41-10.26
L2000 (DT)	1972-1975	3 cylinder, 4-cycle, diesel	20ps/2700rpm	1.115	22	2WD/4WD	8/2	F/1.20-14.50 R/0.41-10.26
L2200	1973-1975	3 cylinder, 4-cycle, diesel	22ps/2800rpm	1.115	22	2WD	16/4	F/0.18-14.50 R/0.33-9.90
L2600	1974-1976	4 cylinder, 4-cycle, diesel	26ps/2400rpm	1.487	35	2WD	16/4	F/0.24-14.60 R/0.41-10.26
L3500	1974-1979	3 cylinder, 4-cycle, diesel	36ps/2600rpm	1.908	35	2WD	16/4	F/0.20-22.80 R/0.41-10.30
L1501 (DT)	1975-1979	2 cylinder, 4-cycle, diesel	15ps/2800rpm	0.743	22	2WD/4WD	16/4	F/0.18-14.5 R/0.29-9.40
L1511 (DT)	1977-1979	2 cylinder, 4-cycle, diesel	15ps/2800rpm	0.743	22	2WD/4WD	nothing	F/0.00-14.80 R/0.00-10.00
L1801 (DT)	1976-1979	2 cylinder, 4-cycle, diesel	18ps/2800rpm	0.866	22	2WD/4WD	16/4	F/0.18-14.50 R/0.29-9.40
L2201 (DT)	1975-1979	3 cylinder, 4-cycle, diesel	22ps/2800rpm	1.115	22	2WD/4WD	16/4	F/0.18-14.50 R/0.29-9.40
L2201G (DT)	1975-1979	3 cylinder, 4-cycle, diesel	22ps/2800rpm	1.115	22	2WD/4WD	16/4	F/0.18-14.50 R/0.29-9.40
L2601 (DT)	1976-1979	3 cylinder, 4-cycle, diesel	26ps/2800rpm	1.299	35	2WD/4WD	16/4	F/0.24-14.60 R/0.41-10.26
L3001 (DT)	1976-1979	4 cylinder, 4-cycle, diesel	30ps/2800rpm	1.487	35	2WD/4WD	16/4	F/0.24-14.60 R/0.41-10.30
L1802 (DT)	1978-1983	3 cylinder, 4-cycle, diesel	18ps/2500rpm	1.115	24	2WD/4WD	16/4	F/0.22-14.70 R/0.35-9.60
L2002 (DT)	1978-1983	3 cylinder, 4-cycle, diesel	20ps/2500rpm	1.299	24	2WD/4WD	16/4	F/0.22-14.70 R/0.35-9.60
L2202 (DT)	1978-1983	3 cylinder, 4-cycle, diesel	22ps/2500rpm	1.395	24	2WD/4WD	16/4	F/0.23-14.50 R/0.36-9.20
L2402 (DT)	1978-1983	3 cylinder, 4-cycle, diesel	24ps/2600rpm	1.395	24	2WD/4WD	16/4	F/0.23-14.50 R/0.37-9.40
L2602 (DT)	1979-1983	4 cylinder, 4-cycle, diesel	26ps/2600rpm	1.487	27	2WD/4WD	16/4	F/0.23-14.30 R/0.37-9.40
L2802 (DT)	1980-1985	4 cylinder, 4-cycle, diesel	28ps/2700rpm	1.487	27	2WD/4WD	16/4	F/0.24-14.60 R/0.37-9.50
L3202 (DT)	1979-1984	4 cylinder, 4-cycle, diesel	32ps/2800rpm	1.487	41	2WD/4WD	16/4	F/0.20-14.80 R/0.32-9.30
L3602 (DT)	1980-1985	4 cylinder, 4-cycle, diesel	33ps/2700rpm	1.861	43	2WD/4WD	16/4	F/0.22-25.00 R/0.28-10.20
L4202 (DT)	1979-1985	4 cylinder, 4-cycle, diesel	42ps/2800rpm	1.487	43	2WD/4WD	16/4	F/0.20-14.80 R/0.32-9.30
L4212 (DT)	1980-1984	4 cylinder, 4-cycle, diesel	42ps/2800rpm	1.487 (turbo)	43	2WD/4WD	16/4	F/0.22-24.60 R/0.27-10.00
L1-18 (D)	1983-1986	3 cylinder, 4-cycle, diesel	18ps/2500rpm	1.299	29	2WD/4WD	16/16	F/0.23-14.50 R/0.20-11.67
L1-20 (D)	1983-1986	3 cylinder, 4-cycle, diesel	20ps/2500rpm	1.395	29	2WD/4WD	16/16	F/0.23-14.57 R/0.20-11.76
L1-22 (D)	1983-1993	3 cylinder, 4-cycle, diesel	22ps/2500rpm	1.462	29	2WD/4WD	16/16	F/0.24-14.26 R/0.23-12.45
L1-24 (D)	1983-1986	3 cylinder, 4-cycle, diesel	24ps/2600rpm	1.462	29	2WD/4WD	16/16	F/0.23-14.89 R/0.22-13.53
L1-26 (D)	1983-1986	4 cylinder, 4-cycle, diesel	26ps/2600rpm	1.499	29	2WD/4WD	16/16	F/0.24-14.55 R/0.22-12.16
L1-28 (D)	1984-1986	4 cylinder, 4-cycle, diesel	28ps/2700rpm	1.499	29	2WD/4WD	16/16	F/0.24-14.68 R/0.22-12.32
L1-33 (D)	1984-1987	4 cylinder, 4-cycle, diesel	33ps/2700rpm	1.499	46	2WD/4WD	16/16	F/0.19-14.50 R/0.16-12.41
L1-38 (D)	1984-1987	5 cylinder, 4-cycle, diesel	38ps/2600rpm	2.165	46	2WD/4WD	16/15	F/0.22-24.90 R/0.19-13.70
L1-43 (D)	1984-1987	4 cylinder, 4-cycle, diesel	43ps/2700rpm	1.499	46	2WD/4WD	16/16	F/0.19-14.50 R/0.16-12.41
L1-45 (D)	1984-1987	5 cylinder, 4-cycle, diesel	45ps/2600rpm	2.437	46	2WD/4WD	16/15	F/0.24-26.00 R/0.20-14.30
L1-185 (D)	1986-1993	3 cylinder, 4-cycle, diesel	18ps/2500rpm	1.299	29	2WD/4WD	16/16	F/0.23-14.50 R/0.20-11.70

MODEL	Manufacturing year	Engine	Horsepower	Displacement [L]	Fuel capacity [L]	Drive system	Gear selection [F/R]	Max traveling speed [km/h]
L1-195 (D)	1988-1990	3 cylinder, 4-cycle, diesel	19ps/2500rpm	1.299	29	2WD/4WD	16/16	F/0.23-14.50 R/0.20-11.67
L1-205 (D)	1986-1993	3 cylinder, 4-cycle, diesel	20ps/2500rpm	1.395	29	2WD/4WD	16/16	F/0.23-14.60 R/0.20-11.80
L1-215 (D)	1988-1990	3 cylinder, 4-cycle, diesel	21ps/2500rpm	1.395	29	2WD/4WD	16/16	F/0.23-14.57 R/0.20-11.76
L1-225 (D)	1986-1993	2 cylinder, 4-cycle, diesel	22ps/2500rpm	1.462	29	2WD/4WD	16/16	F/0.24-14.30 R/0.23-12.50
L1-235 (D)	1988-1990	3 cylinder, 4-cycle, diesel	23ps/2500rpm	1.462	29	2WD/4WD	16/16	F/0.24-14.26 R/0.23-12.45
L1-245 (D)	1986-1993	3 cylinder, 4-cycle, diesel	24ps/2600rpm	1.462	29	2WD/4WD	16/16	F/0.23-14.90 R/0.22-13.50
L1-255 (D)	1988-1990	3 cylinder, 4-cycle, diesel	25ps/2600rpm	1.462	29	2WD/4WD	16/16	F/0.23-14.89 R/0.22-13.53
L1-265 (D)	1986-1993	4 cylinder, 4-cycle, diesel	26ps/2600rpm	1.499	29	2WD/4WD	16/16	F/0.24-14.60 R/0.22-12.20
L1-275 (D)	1988-1990	3 cylinder, 4-cycle, diesel	27ps/2700rpm	1.462	29	2WD/4WD	16/16	F/0.24-14.44 R/0.23-12.63
L1-285 (D)	1986-1993	4 cylinder, 4-cycle, diesel	28ps/2700rpm	1.499	29	2WD/4WD	16/16	F/0.24-14.70 R/0.22-12.30
L1-295 (D)	1988-1990	4 cylinder, 4-cycle, diesel	28.5ps/2700rpm	1.499	29	2WD/4WD	16/16	F/0.24-14.68 R/0.22-12.32
L1-315 (D)	1988-1990	4 cylinder, 4-cycle, diesel	30.5ps/2800rpm	1.499	36	2WD/4WD	16/16	F/0.25-14.53 R/0.22-12.21
L1-325D	1988-1990	4 cylinder, 4-cycle, diesel	32ps/2700rpm	1.732	29	4WD	16/16	F/0.25-24.3 R/0.23-20.50
L1-345 (D)	1987-1993	4 cylinder, 4-cycle, diesel	34ps/2700rpm	1.499	46	2WD/4WD	16/16	F/0.19-14.50 R/0.16-12.41
L1-385 (D)	1987-1993	5 cylinder, 4-cycle, diesel	38ps/2600rpm	2.165	46	2WD/4WD	16/15	F/0.22-23.60 R/0.19-14.60
L1-435 (D)	1987-1993	4 cylinder, 4-cycle, diesel	43ps/2700rpm	1.499	46	2WD/4WD	16/16	F/0.19-14.50 R/0.16-12.41
L1-455 (D)	1987-1993	5 cylinder, 4-cycle, diesel	45ps/2600rpm	2.437	46	2WD/4WD	16/15	F/0.22-24.90 R/0.19-14.60
X-20	1987-1992	4 cylinder, 4-cycle, diesel	20ps/2600rpm	1.335	27	4WD	12/4	F/0.44-13.60 R/0.60-9.75
X-24	1987-1992	4 cylinder, 4-cycle, diesel	24ps/2600rpm	1.422	27	4WD	9/3	F/0.45-13.60 R/0.64-10.00
GL-19	1990-1993	3 cylinder, 4-cycle, diesel	19ps/2500rpm	1.393	27	4WD	16/16	F/0.22-14.65 R/0.19-13.19
GL-21	1990-1993	3 cylinder, 4-cycle, diesel	21ps/2600rpm	1.393	27	4WD	16/16	F/0.23-14.81 R/0.20-13.33
GL-23	1990-1993	3 cylinder, 4-cycle, diesel	23ps/2500rpm	1.463	27	4WD	16/16	F/0.23-14.88 R/0.20-13.39
GL-25	1990-1993	3 cylinder, 4-cycle, diesel	25ps/2600rpm	1.463	27	4WD	16/16	F/0.22-14.80 R/0.19-13.32
GL-26	1991-1993	3 cylinder, 4-cycle, diesel	26ps/2600rpm	1.499	27	4WD	16/16	F/0.32-23.70 R/0.28-20.10
GL-27	1990-1993	3 cylinder, 4-cycle, diesel	27ps/2600rpm	1.499	27	4WD	16/16	F/0.22-14.92 R/0.20-13.43
GL-29	1990-1993	3 cylinder, 4-cycle, diesel	29ps/2700rpm	1.499	35	4WD	16/16	F/0.23-14.86 R/0.20-13.37
GL-32	1990-1993	3 cylinder, 4-cycle, diesel	32ps/2800rpm	1.499	35	4WD	16/16	F/0.22-14.90 R/0.20-13.41
GL-33	1991-1993	3 cylinder, 4-cycle, diesel	33ps/2700rpm	1.647	35	4WD	16/16	F/0.32-23.20 R/0.28-19.70
GL-35	1991-1995	3 cylinder, 4-cycle, diesel	35ps/2700rpm	1.499 (turbo)	50	4WD	16/16	F/0.19-14.70 R/0.18-14.14
GL-40	1991-1995	4 cylinder, 4-cycle, diesel	40ps/2600rpm	2.197	50	4WD	16/16	F/0.22-26.10 R/0.17-20.86
GL-43	1991-1995	3 cylinder, 4-cycle, diesel	43ps/2700rpm	1.499 (turbo)	50	4WD	16/16	F/0.19-14.70 R/0.18-14.14
GL-46	1991-1995	5 cylinder, 4-cycle, diesel	46ps/2600rpm	2.499	50	4WD	16/16	F/0.23-27.34 R/0.18-21.85
GL-53	1991-1995	5 cylinder, 4-cycle, diesel	53ps/2600rpm	2.746	50	4WD	16/16	F/0.24-28.30 R/0.18-21.85

MODEL	Manufacturing year	Engine	Horsepower	Displacement [L]	Fuel capacity [L]	Drive system	Gear selection [F/R]	Max traveling speed [km/h]
GT-3	1992-1997	4 cylinder, 4-cycle, diesel	21ps/2600rpm	1.422	27	4WD	12/4	F/0.45-14.70 R/0.64-10.80
GT-5	1992-1997	4 cylinder, 4-cycle, diesel	23ps/2600rpm	1.498	27	4WD	12/4	F/0.45-14.70 R/0.64-10.80
GT-8	1992-1997	4 cylinder, 4-cycle, diesel	26ps/2600rpm	1.498	27	4WD	12/4	F/0.45-14.70 R/0.64-10.70
B5000 (E)	1975-1976	2 cylinder, 4-cycle, diesel	9ps/3000rpm	0.508	8	2WD/4WD	6/2	F/0.95-12.90 R/1.32,6.44
B6000 (E)	1971-1976	3 cylinder, 4-cycle, diesel	12ps/2800rpm	0.675	13	2WD/4WD	6/2	F/0.99-11.40 R/1.44,6.42
B7000 (E)	1974-1976	3 cylinder, 4-cycle, diesel	14ps/2800rpm	0.762	13	2WD/4WD	6/2	F/1.02-11.50 R/1.44,6.54
B5001 (E)	1976-1979	2 cylinder, 4-cycle, diesel	9.5ps/3000rpm	0.508	8	2WD/4WD	6/2	F/0.95-12.90 R/1.32,6.44
B6001 (E)	1976-1979	3 cylinder, 4-cycle, diesel	12ps/2800rpm	0.675	13	2WD/4WD	6/2	F/0.99-11.40 R/1.44,6.42
B7001 (E)	1976-1979	3 cylinder, 4-cycle, diesel	14ps/2800rpm	0.762	13	2WD/4WD	6/2	F/1.02-11.50 R/1.44,6.54
B1200 (DT)	1979-1985	3 cylinder, 4-cycle, diesel	12ps/2800rpm	0.762	13	2WD/4WD	6/2	F/0.93-11.85 R/1.36,6.27
B1400 (DT)	1979-1982	3 cylinder, 4-cycle, diesel	14ps/2600rpm	0.855	15	2WD/4WD	6/2	F/0.95-13.03 R/1.39,7.08
B1500 (DT)	1980-1982	3 cylinder, 4-cycle, diesel	14.9ps/2600rpm	0.855	15	2WD/4WD	6/2	F/1.05-13.02 R/1.47,6.58
B1600 (DT)	1979-1982	3 cylinder, 4-cycle, diesel	16ps/2600rpm	0.927	20	2WD/4WD	12/4	F/0.08-13.00 R/0.11-6.20
B1402 (DT)	1982-1985	3 cylinder, 4-cycle, diesel	14ps/2600rpm	0.855	15	2WD/4WD	6/2	F/0.95-12.60 R/1.39,7.00
B1502 (DT)	1982-1985	3 cylinder, 4-cycle, diesel	14.9ps/2600rpm	0.855	15	2WD/4WD	6/2	F/1.05-12.51 R/1.47,6.58
B1702 (DT)	1981-1985	3 cylinder, 4-cycle, diesel	17ps/2600rpm	0.927	20	2WD/4WD	12/4	F/0.08-13.00 R/0.11-6.21
B1902 (DT)	1981-1986	3 cylinder, 4-cycle, diesel	19ps/2600rpm	0.927	20	2WD/4WD	12/4	F/0.09-14.00 R/0.11-6.33
XB-1	1983-1993	3 cylinder, 4-cycle, diesel	12ps/2600rpm	1.115	20	2WD/4WD	12/4	F/0.85-14.30 R/1.20-5.87
B-10	1985-1993	2 cylinder, 4-cycle, diesel	9.5ps/3000rpm	0.508	8	4WD	6/2	F/0.95-12.86 R/1.32-6.44
B-40	1990-1991	3 cylinder, 4-cycle, diesel	14ps/2600rpm	0.855	17	4WD	6/2	F/0.95-12.56 R/1.39-7.08
B1-14 (D)	1985-1993	3 cylinder, 4-cycle, diesel	14.5ps/2600rpm	0.855	17	2WD/4WD	6/2	F/0.95-12.56 R/1.39-7.08
B1-15 (D)	1985-1993	3 cylinder, 4-cycle, diesel	15.5ps/2600rpm	0.855	17	2WD/4WD	6/2	F/1.05-12.50 R/1.47-6.58
B1-16 (D)	1985-1993	3 cylinder, 4-cycle, diesel	16.5ps/2600rpm	0.927	17	2WD/4WD	12/4	F/0.08-12.08 R/0.11-6.04
B1-17D (D)	1985-1993	3 cylinder, 4-cycle, diesel	17.5ps/2600rpm	0.927	17	2WD/4WD	12/4	F/0.08-12.08 R/0.11-6.04
A-13	1991-1997	3 cylinder, 4-cycle, diesel	13ps/2500rpm	0.656	14	4WD	6/2	F/0.76-12.59 R/1.02-5.21
A-14	1991-1997	3 cylinder, 4-cycle, diesel	14.5ps/2500rpm	0.719	14	4WD	6/2	F/0.85-14.00 R/1.18-5.80
A-15	1988-1992	3 cylinder, 4-cycle, diesel	15.5ps/2600rpm	0.898	17	4WD	6/2	F/0.90-12.00 R/1.30-5.60
A-155	1992-1996	3 cylinder, 4-cycle, diesel	16ps/2650rpm	0.898	17	4WD	6/2	F/0.90-12.10 R/1.30,5.50
A-175	1992-1996	3 cylinder, 4-cycle, diesel	17.5ps/2650rpm	1.001	17	4WD	6/2	F/1.00-13.00 R/1.40,6.00
A-195	1992-1996	3 cylinder, 4-cycle, diesel	19ps/2650rpm	1.123	17	4WD	6/2	F/1.10-13.90 R/1.50,6.40
A-30	1994-1997	3 cylinder, 4-cycle, diesel	13ps/2500rpm	0.656	13	4WD	8/4	F/0.70-11.60 R/0.80-28.00
A-17	1988-1992	3 cylinder, 4-cycle, diesel	17ps/2600rpm	1.001	17	4WD	6/2	F/1.00-12.90 R/1.40-6.00
A-19	1988-1992	3 cylinder, 4-cycle, diesel	18.5ps/2600rpm	1.123	17	4WD	6/2	F/1.10-13.70 R/1.50-6.40